

# SAFETY DATA SHEET

**Product ID: GMS2700G** 

SDS REVISION DATE: September 13, 2016

GMS Industrial Supply, Inc. 212 Denn Lane, Virginia Beach, VA 23462 (855) GRN-OGER • www.GreenOger.com

24-Hour Emergency Telephone: 1-800-424-9300 CHEMTREC

# **SECTION 1: Product and company identification**

Product name : Oger Suds Liquid Laundry Detergent

Use of the substance/mixture : Detergent Product code : GMS2700G

Company : GMS Industrial Supply, Inc

212 Denn Lane Virginia Beach, VA 23462 - USA

T (757) 473-1467

Emergency number : Chemtrec: (800) 424-9300

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GHS-US classification**

Eye Dam. 1 H318 Carc. 2 H351

Full text of H statements : see section 16

#### 2.2. Label elements

# **GHS-US labeling**

Hazard pictograms (GHS-US)





GHS05 GHS

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes serious eye damage Suspected of causing cancer

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear eye protection, protective clothing, protective gloves

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing
If exposed or concerned: Get medical advice/attention

Immediately call a doctor, a POISON CENTER

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

Date of issue: 2/13/2017 Revision date: 09/13/2016 Version: 2.0 P GHS SDS Page 1 of 6

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
UNDECETH-5	(CAS No) 34398-01-1	10-20	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium dodecylbenzenesulfonate	(CAS No) 25155-30-0	1-5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
2-propanol	(CAS No) 67-63-0	1-5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	0.1-1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351 STOT RE 2, H373

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned:

Get medical advice/attention.

First-aid measures after inhalation : Remove the victim into fresh air.

First-aid measures after skin contact : Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Suspected of causing cancer. Causes serious eye damage.

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Diarrhea. Nausea. Vomiting.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

# 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

#### 6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

# 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

Date of issue: 2/13/2017 Revision date: 09/13/2016 Version: 2.0 P GHS SDS Page 2 of 6

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke

when using this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use.

Incompatible products : strong acids.

Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.

Special rules on packaging : meet the legal requirements.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

2-propanol (67-63-0)		
ACGIH	ACGIH TWA (ppm)	200 ppm
ACGIH	ACGIH STEL (ppm)	400 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
0.000		

#### 2,2'-iminodiethanol, diethanolamine (111-42-2)

2,2 - Infinodiction, dictionolamine (111-42-2)		
ACGIH	ACGIH TWA (mg/m³)	1 mg/m³
ACGIH	Remark (ACGIH)	Liver & kidney dam

#### 8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves, Protective goggles, Protective clothing.







# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Blue. Viscous liquid.

Odor Floral odor Odor threshold : No data available : 10.5 - 12.5 рΗ Melting point No data available Freezing point : No data available **Boiling point** No data available Flash point : > 200 °F Closed Cup Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) No data available **Explosion limits** : No data available Explosive properties No data available Oxidizing properties : No data available

Date of issue: 2/13/2017 Revision date: 09/13/2016 Version: 2.0 P GHS SDS Page 3 of 6

: No data available Vapor pressure : No data available Relative density Relative vapor density at 20 °C No data available

Specific gravity / density : 1.01 g/ml Solubility : Soluble in water. Log Pow : No data available Log Kow : No data available

: No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic

VOC content : < 5 %

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

acids.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

2-propanol (67-63-0)	
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE CLP (oral)	5045.000 mg/kg body weight
ATE CLP (dermal)	12870.000 mg/kg body weight
ATE CLP (vapors)	73.000 mg/l/4h
ATE CLP (dust, mist)	73.000 mg/l/4h
2.2'-iminodiethanol, diethanolamine	e (111-42-2)

-,	
LD50 dermal rabbit	8180 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight

# sodium dodecylbenzenesulfonate (25155-30-0)

LD50 oral rat	438 mg/kg (Rat)
---------------	-----------------

# UNDECETH-5 (34398-01-1)

LD50 oral rat > 1400 mg/kg

Skin corrosion/irritation : Not classified

pH: 10.5 - 12.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 10.5 - 12.5

Respiratory or skin sensitization : Not classified : Not classified Germ cell mutagenicity

Carcinogenicity : Suspected of causing cancer.

Date of issue: 2/13/2017 Revision date: 09/13/2016 Version: 2.0 P GHS SDS Page 4 of 6

2-propanol (67-63-0) 3 - Not Classifiable IARC group 2,2'-iminodiethanol, diethanolamine (111-42-2) 2B - Possibly Carcinogenic to Humans IARC group

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None under normal use. Symptoms/injuries after skin contact : Causes skin irritation. Symptoms/injuries after eye contact Causes serious eye damage.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Diarrhea. Nausea. Vomiting.

Likely routes of exposure : Skin and eyes contact

# **SECTION 12: Ecological information**

# 12.1. Toxicity

2-propanol (67-63-0)	
LC50 fish 2	9640 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 2	13299 mg/l (EC50; Other; 48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (EC50; UBA; 72 h; Scenedesmus subspicatus)
sodium dodecylbenzenesulfonate (25155-	30-0)
LC50 fish 1	0.99 mg/l (LC50; 96 h)
EC50 Daphnia 1	2.19 mg/l (EC50; 96 h)
Threshold limit algae 1	0.9 mg/l (EC50; 96 h)
UNDECETH-5 (34398-01-1)	
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l

# 12.2. Persistence and degradability

2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	1.19 g O2/g substance
Chemical oxygen demand (COD)	2.23 g O2/g substance
ThOD	2.40 g O2/g substance
sodium dodecylbenzenesulfonate (25155-30-0)	
Persistence and degradability	Readily biodegradable in water.

# 12.3. Bioaccumulative potential

2-propanol (67-63-0)	
Log Pow	0.05 (Weight of evidence approach; Other; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
sodium dodecylbenzenesulfonate (25155-30-0)	
BCF fish 1	286 (BCF)
BCF fish 2	130 (BCF)
Log Pow	0.45 - 1.96
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Date of issue: 2/13/2017 Revision date: 09/13/2016 Version: 2.0 P GHS SDS Page 5 of 6

# **SECTION 14: Transport information**

# **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

# **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS No 67-63-0	1-5%
2,2'-iminodiethanol, diethanolamine	CAS No 111-42-2	0.1-1%
2-propanol (67-63-0)		
Listed on SARA Section 313 (Specific toxic c	hemical listings)	
2,2'-iminodiethanol, diethanolamine (111-4	12-2)	
Listed on SARA Section 313 (Specific toxic c	hemical listings)	
CERCLA RQ	100 lb	
sodium dodecylbenzenesulfonate (25155-	30-0)	
Not listed on SARA Section 313 (Specific tox	ic chemical listings)	
CERCLA RQ	1000 lb	
UNDECETH-5 (34398-01-1)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

# **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H225	Highly flammable liquid and vapor	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
H351	Suspected of causing cancer	
H373	May cause damage to organs through prolonged or repeated exposure	

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

#### **Prepared by: Technical Department**

This information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Revision Date: September 13, 2016

