

SAFETY DATA SHEET

SDS REVISION DATE: February 2016

GMS Industrial Supply, Inc. 212 Denn Lane, Virginia Beach, VA. 23462 (855) GRN-OGER

Product ID: GMS2103CN, GMS210315CN,

 ${\bf GMS2103DR,\,GMS210330DR}$

24 Hour Emergency Telephone: (800) 424-9300 CHEMTREC

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION



BoilerMatch

Product Use: Mixture, components for Water Treatment Applications

24 Hour Emergency Response No.: 800-424-9300 CHEMTREC®

GMS Industrial Supply, Inc. 212 Denn Lane Virginia Beach, VA. 23462

(757) 473-1467

Personal Protective Equipment(s)

GHS Pictogram(s) DOT Symbol(s)

HMIS













To the best of our knowledge, this Safety Data Sheet is prepared to comply with US OSHA 29 CFR1910.1200 and other governmental agencies both domestic and foreign. Hazard and precautionary statements are based on maximum listed concentrations of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200) and/or other governmental agencies.

2. HAZARDS IDENTIFICATION EMERGENCY OVERVIEW							
Health	1	GHS Classifications Environmental	Physical				
GHS Label Element Signal Word	Symbol(s)	Hazard Statements	Precautionary Statements				
"DANGER"	Corrosive	H302-Harmful if swallowed. H312-Harmful in contact with skin. H319-Causes serious eye irritation. H332-Harmful if inhaled. H413-May cause long lasting harmful effects to aquatic life.	P102-Keep out of reach of children. P233-Keep container tightly closed. P262-Do not gets in eyes, on skin or on clothing. P264-Wash thoroughly after handling. P281-Use personal protective equipment as required.				

3. COMPOSITION INFORMATION ON INGREDIENTS							
Hazardous Components	% by Wt.	CAS Number	Hazard Statements (Section 15)	GHS Hazard Pictogram(s)			
Sodium Hydroxide	40-60	1310-73-2	H302-Harmful if swallowed. H314-Causes severe skin burns and eye damage. H332-Harmful if inhaled. H412-Harmful to aquatic life with long lasting effects.				
Non Hazardous Ingredient	20-60						
Total	100.00						

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing difficult, give oxygen.

Call a physician if any difficulties persist.

Eyes: Flush eyes with a large amount of water for 15 minutes. Seek medical attention immediately if any irritation persists. After first aid,

get appropriate in-plant, paramedic or community medical support.

Skin: Wash affected areas thoroughly with soap and water for at least 15 minutes. Cover the irritated skin with an emollient. Remove

contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Seek

medical attention if any irritation persists.

Ingestion If person can swallow, give 2 glasses of water to drink. DO NOT INDUCE VOMITING! After first aid, seek appropriate in-plant,

paramedic, or community medical support. Never give anything by mouth to an unconscious person.

After first aid, get appropriate in-plant, paramedic, or community medical support.

5. FIRE FIGHTING MEASURES

Flammability Classification: Non Flammable

Suitable Extinguishing Media: Water fog, Alcohol foam, Carbon Dioxide, Dry Chemical

Unusual Fire or Explosion Hazards: None known other than material can splatter above 100°C/212°F.

Hazardous Combustion Products: Unknown but carbon monoxide may be released on burning.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing

apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

6. ACCIDENTIAL RELEASE MEASURES

Personal Precautions: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Small Spills: Absorb spill with paper towel or similar absorbent; or flush to sewer or ground with large amounts of water.

Large Spills: For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways. Absorb spill with

Containment: vermiculite, oil dry or similar non-reactant absorbent. Solidified product represents no environmental hazard.

Cleanup: Accumulate the absorbed materials and dispose of according to federal, state and local regulations.

Environmental Follow applicable OSHA/CERCLA or any other regulations (29 CFR 1910.120) as well as any state or local regulations that

Precautions: may apply.

7. HANDLING AND STORAGE

Precautions for safe handling: Use the recommended safety controls and personal protective equipment as outlined. Fully review all data before handling of the material itself. Avoid contact with skin or eyes. Avoid breathing dust or mist. Keep from contact with clothing and other

combustible materials. Observe good personal hygiene and housekeeping practices. Wash thoroughly after handling.

Conditions for safe Storage:

Do not store in direct sunlight. Store in a tightly closed container. Store in a cool dry, well ventilated area. Do not store this material near any strong acids, bases, oxidizers, flammables or any other type of reactive material. Do not expose the

material to temperature extremes.

Regulatory

Store materials according to all local, state and federal guidelines that are established for non-regulated chemical products.

Requirements:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with limit values that require monitoring at the workplace:

Hazardous ComponentsCAS NumberOSHA PEL/TWA STELACGIH TLV/TWA STELOtherSodium Hydroxide1310-73-22 mg/m32 mg/m3

Engineering Controls:

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at

its source.

Respiratory Protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134)

and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or non-routine operations (cleaning spills, reactor vessel, or storage tanks), wear an SCBA. Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Personal Protective Equipment (PPE): Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses. At a minimum wear safety glasses with side shields as well as chemically protective

gloves and aprons to prevent prolonged or repeated skin contact.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your

Equipment: shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before

eating, drinking, smoking, using the toilet, or applying cosmetics.

Work/Hygienic Practices Consistent use of afore-mentioned personal protective equipment is essential in preventing injuries or irritation.

9. PHYSICAL AND CHEMICAL PROPERTIES Characteristic odor Form: Liquid Appearance: Clear to hazy color Odor: 12.00+ Flammability: Non-flammable pH: Vapor Pressure: Same as water **Specific Gravity:** 1.20+/-Vapor Density: Same as water Flash Point: NA Water Solubility: Complete **Evaporation Rate:** 1.00 **Auto Ignition Temp:** NΔ Other Solubilities: Not Determined **Melting Point:** LEL: Not Determined NA 50%+/-UEL: % Volatile: **Freeze Point:** Approx. 32°F+/-Not Determined 212°F +/-**Boiling Point: Decomposition Temp:** Not Determined

10. STABILITY AND REACTIVITY

Stability: This product is stable at room temperature in closed containers under normal storage and handling conditions.

However, avoid temperature extremes.

Conditions to Avoid: Excessive temperature, contact with any type of reactive chemicals

Hazardous Polymerization: Hazardous polymerization will not occur.

Chemical Incompatibilities: Avoid contact with Strong Acids, Strong Alkalis, Oxidizers or any other type of reactive material.

Hazardous Decomposition There are no known hazardous decomposition products for this material unless the material is burned in which

Products: case undetermined evolution of toxic gases may occur.

11. TOXICOLOGICAL INFORMATION

Hazardous Components

CAS No.:

LD50 of Ingredient
(Specify Species & Route)

LD50 Dermal of Ingredient
(Specify Species)

Sodium Hydroxide 1310-73-2 500mg/kg Oral Rabbit 500mg/ 24hr Adult Rabbit-Severe Irritation 50mg/24hr Eye Rabbit-Severe Irritation

Primary Irritant Effects:

Routes of Entry: Absorbed through skin, Dermal Contact, Eye Contact, Inhalation.

Eye Effects: Irritation to eyes & possible burning if materials are not immediately rinsed from the eye.

Acute Inhalation Effects: Might produce irritation to respiratory system.

Skin Effects: Irritation to skin.

Acute Oral/Ingestion Effects: Not tested for this blend. Harmful if swallowed.

Chronic Effects on Humans:No specific studies have been conducted for this specific blend. **Other Toxic Effects on Humans:**No specific studies have been conducted for this specific blend.

Special Remarks- Human Chronic Effects: No other information for chronic effects on humans.

Carcinogenity: IARC, NTP, and OSHA do not list this product or its components as a carcinogen.

Mutagenicity: No mutagenic effects are known to be applicable for the formulation components of this product.

Teratogenicity:No studies have been performed for this specific product blend. **Target Organ Statement:**No studies have been conducted for this specific product blend.

12. ECOLOGICAL INFORMATION

Hazardous Components CAS No.: LC:50 EC:50

Sodium Hydroxide 1310-73-2 25ppm 24 hour Brook Trout 100ppm Daphnia Magna

Special Remarks-Products of biodegradation: The Component(s) of this product are not subject to rapid biodegradation.

13. WASTE DISPOSAL CONSIDERATIONS

Disposal Regulatory Requirements: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable federal,

state and local regulations.

Container Cleaning and Disposal: Triple rinse the empty containers with water before disposal to reconditioned or land fill or garbage.

14. TRANSPORTATION INFORMATION

Proper Shipping Name: Sodium Hydroxide DOT/GHS Shipping Label Pictogram(s):

Contains: Sodium Hydroxide

Hazard Class: Marine Pollutant: UN Number: Packing Group: ERG Number:

8 No 1824 II 154
Special Shipping Notations: None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49, Parts 100-177, IMDG, IATA, EU, United Nations, TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

15. REGULATORY INFORMATION

Hazard Symbol(s):

Hazard Statements: H302-Harmful if swallowed.

H312-Harmful in contact with skin. H319-Causes serious eye irritation.

H332-Harmful if inhaled.

H413-May be harmful to aquatic life with long lasting effects.

Safety Phrases: \$33/7/9/49-Keep only in the original container tightly closed in a cool well-ventilated place.

S24/25-Avoid contact with skin and eyes.

S26-In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.

S36/37/39-Wear suitable protective clothing, gloves and eye/face protection.

S62-If swallowed do not induce vomiting: seek medical advise immediately and show this container or label.

EPA Regulations:

RCRA Hazardous Waste Number: Product blend is not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.): Product blend is not classified.

CERCLA Hazardous Substance (40 CFR 302.4):

Product blend is unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)

(4); CWA, Sec. 307 (a),

CAA, Sec. 112 CERCLA Reportable Quantity (RQ): Contains: Sodium Hydroxide 1,000 lb

SARA 313 Codes: This product is subject to the reporting

requirements of section 313 of the Emergency Planning and Not listed

Community Right to Know Act of 1986 and 40CFR372.

SARA Toxic Chemical (40CFR 372.65):

Sara 302/304 Extremely Hazardous Substance (40CFR 355)

Not listed
Sara 313 SARA EHS (Extremely Hazardous Substance) (40 CFR 355):

Not listed
Threshold Planning Quantity (TPQ):

Not listed

OSHA Regulations:

Air Contaminant (20 CFR 1910.1000, Table Z-1, Z-1-A):

OSHA Specifically Regulated Substance (29 CFR 1910.):

Not Listed

State Regulations:

As a product blend, the materials are generally not listed. Check with your local state regulatory board for more detailed

information regarding the specific components of this product.

All components of this product are listed in the U.S. Environmental Protection Agencies, Toxic Substance Control Act

National Regulations: (TSCA) Chemical Substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

16. OTHER INFORMATION

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Revision Date: February 2016